

Bionic 880®

Complete body photon therapy

A selection of case reports from
doctors, therapists and patients
experiencing the Bionic 880 device



Note:

1. Images of the original German references/case reports are included.
2. The ACU-LIGHT-BEAM-4000, mentioned in some reports, was the predecendant model of the Bionic 880. The Bionic 880 is smaller and lighter. It has one additional frequency. The impact of both models is 100% identical.
3. This translation was performed with greatest possible care, using most current dictionaries. If sense deviations - in particular concerning the rendition of the references - should have incept, however, we ask to make allowances for us and inform us, if necessary.

References

The following references are translations from different german therapists.
The originals we will provide on your request.

Patients report by Dr. Hildegard Rieger, Düsseldorf Str 98 in 45481 Mülheim /Ruhr

50-year-old male patient with state right basal pneumonia, existing for 6 days.
A 4-day antibiotic therapy with Clarithromycin showed no improvement.

A 3-days photon therapy was applied.

The first treatment took about 45 minutes. Set frequency: 10 min, and 7.83 Hz, then following 35 min, 100% radiation, continuously.

Irradiation points: both wrists, upper-third of sternum, left and right side of the neck and basal lung.

The second and third photon therapies lasted for 15 min (cont. radiation, 100%) and were applied to wrists, upper-third of sternum and right basal lung.

In addition, a homeopathic treatment was placed. The antibiotic therapy was stopped immediately after the initiation of photon therapy.

The healing occurred under photon therapy and homeopathic treatment within 6 days.

Reference Dr. med Heinrich Mammes

Subject: photon therapy

Dear Mr. Buschkühl,

I have been working with your photon based device Bionic 880 for some years. In our naturopathic oriented general medical practice, we have a large spectrum of different diseases which benefit considerably from photon therapy in many cases. I would like to introduce to you some patients as examples, who we could treat successfully.

67-year-old male patient complained of intractable pain in the lumbar spine with a known, non-metastatic prostate cancer. The diagnosis revealed a left-medial-lateral disc herniation on the level of L5-S1. Additionally, there were degenerative alterations and spinal stenosis. There was no evidence for bone metastasis. The seven times applied photon therapy brought freedom from pain, after all. The patient reported after the first treatment, that he was in "good mood", singing in the bathroom and that he had not felt so good for a long time. The treatment was applied to the usual points (volar wrists, ears, neck) and to the lumbar spine. In summary one can say it was a complete success.

48-year-old woman with pain in the thoracic spine and the left scapula. Extensive orthopedic and internal medicine diagnostics were conducted. There was no pathological indication with the exception of local tensions and mild degenerative alterations in the thoracic spine. The patient received physical therapy, physiotherapy, infusion therapy, and acupuncture treatment by a orthopedic specialist. There was no improvement in symptoms. Neural therapy according to Huneke, cupping and chiropractic therapy brought only temporary relief. Ten applications of the photon therapy led to resolution of symptoms! The patient reported that headaches that had existed for years, had disappeared as well. Locations of treatment: standard points (see above), as well as locally in the thoracic and scapula area.

41-year-old woman with sciatica in the right L5 - S1. Even after the first photon therapy, the patient reported a remarkable improvement. There were only 2 treatments necessary. Later the patient told me that dysmenorrhoeic complaints, she had never complained, however, in practice, had disappeared after treatment.

46-year-old woman complained of fatigue, exhaustion, and lassitude. She complained that she was not resilient. In addition, she was quick-tempered, anxious and felt like in a snail shell.

After 2 applications, photon therapy resulted in a significant lightening of their mood. After 10 applications the patient was visibly strengthened, her eyes sparkled and she had a radiant visual expression. She spoke of having new power and felt like she was "the old one" again.

50-year-old patient with depression, and psychosomatic complaints, which showed in agitation, insomnia, trepidation and globus sensation. A psychiatric intervention made no significant improvement. Likewise, he received both conventional medicine, as well as homeopathic medicines, which brought little relief. We applied the photon therapy to standard, and taped 3 ampoules containing Psychoneuroticum Amp (Phar-macon), hypophyseal Stannum Wala, and Apis Regina Aurum comp. Wala at the level of the thymus during the therapy. After 10 treatments, the patient reported a significant stabilization of his general condition and a clear reduction of the psychosomatic symptoms. >>>

38-year-old woman with telangiectatic, livid erythema of the facial skin, in the sense of rosacea, which she had suffered from for several years. Diagnostics showed no abnormalities. Again, we applied photon therapy, with the following ampoules fixed on the skin at the level of the thymus: Coenzyme comp. Heel, connective tissue C16 Wala, Luesinum D200, Cutis feti GI D6 Wala.

Application points: standard points, 5 minutes each, and in the facial area 2x15 minutes each (left and right cheek). As there was no improvement noted after 5 times of therapy, the standard program was changed concerning the following points: instead of the ears, the eyes were treated with the Bionic 5 minutes each. After changing the therapeutic regimen, there was a marked improvement in the skin. Adjuvant, homeopathic remedies were used.

57-year-old woman with psoriasis for 20 years. At times, there was a shear-wise worsening of the disease. Conventional medicine was at its limits. In addition to a homeopathic medication, the patient received photon therapy. In the area of the thymus the following ampoules were applied: Psoriasis nosode D4-D3-D8, Vaccinium Injeel, Typhus D4 and Morbiliun D200. The usual standard points and both eyes were treated. After the 8. treatment, there was a noticeable improvement in skin appearance. The therapy is currently continued.

77-year-old woman with recurrent abdominal complaints of unknown origin. A thorough internal medical diagnosis showed no tangible result. Diagnostics: irritable bowel syndrome. The photon therapy was applied to the usual standard points as well as to both eyes and to selected points in the abdominal area. After 2 treatments, the patient reported a significant pain relief. In addition, she was, all in all, less tired and felt much better. After 2 more treatments, the therapy could be concluded.

56-year-old lady-teacher with chronic migraines, as well as a chronic recurrent cervical syndrome. The patient had a history of many years of pain with intermediate analgesic abuse. Initiated therapy: Neural Therapy according to Huneke, including tests of interfering fields, which led to a slight improvement in symptoms. Due to the photon therapy, there was a steady improvement in migraine and chronic headaches. In course of the treatment the patient felt psychologically much better and more balanced.

68-year-old patient with arterial hypertension. The patient was taking anti-hypertensive medications (ATI-blockers, calcium antagonist). He consulted our practice in order to treat his high blood pressure alternatively. In addition to a naturopathic-homeopathic therapy, the patient received the photon treatment at the usual standard photon points and both eyes.

First, we treated 2-weekly for about 6 weeks, after which we reduced the frequency of treatment. Currently, the patient receives a booster treatment placed every 3-4 weeks. The antihypertensive medication could be discontinued. The patient receives homeopathic remedies only.

In the next case, a 48-year-old patient with hypertension could be helped very well by the photon therapy, too. This patient received in addition to the photon therapy an autologous blood treatment and a homeopathic medication. The patient was in a state after hemorrhage of the basal ganglia in the right hemisphere with arterial hypertension. The patient was so far stabilized after 15 treatments that the antihypertensive medication could be significantly reduced. The blood pressure, which was increased before treatment, despite intensive classical medication, is now in the normal range.

70-year-old woman with recurrent sciatica on both sides with chronic degenerative spinal and sacroiliac joint syndrome on both sides. First she received neural therapy, acupuncture, pain infusions from the orthopedist, which only brought short-term improvement. We then conducted the photon therapy, which we applied a total of 10 times to the standard points, above the eyes, and in the lumbar spine area. This brought a good improvement in symptoms. The patient was not free of symptoms, but could live much better with her complaints and enjoyed a new life.

19-year-old patient with persistent pain of the right ankle with state after external band rupture. The young woman came in the practice with persistent pain one month after the usual conservative and surgical care. The MRI showed a scarred thickening of the anterior fibular ligament, a reactive effusion, and a pericapsulitis at the level of the lateral ventral malleolus. The patient was initially given neural therapy, resulting in an approximately 60% improvement in symptoms. To treat the remaining symptoms of pain, we conducted the photon therapy - initially twice a week. The patient reported improvement of 70% after 4 treatments and of 80% after 5 treatments. Since the patient is being treated currently, no final diagnosis can be made yet. It is to be noted, however, that the patient has benefited greatly from the photon therapy so far.

For several months, there is a young, 26-year-old female patient in our treatment. She is in a state after polytrauma with severe craniocerebral trauma with Lefort-fracture 2-3 with atypical axonal whiplash injury in the thalamus, brain stem and cerebellum. State after skull base fracture with fracture of the orbital roof and the orbital floor, and various other bones. Bruises and hematomas of the lung. State after multiple operations. The previously conducted anti-epileptic and antidepressant therapy brought no significant improvement in the aggressive regulatory disorders. Other symptoms: difficulty in articulation, language vague, unclear, salivation, severe communication disorder with no opportunities for verbal performance, dysphagia. In particular, however, the states of mind are in the foreground; madness, mania, destructiveness, vandalism, patient bites, attacks, hits, screams. The currently implemented combination of homeopathic and photon therapy shows a continuous improvement of emotional disturbance, social skills and general vegetative functions. The classical medication could be even reduced. In particular, improvement in salivary flow, the facial expression, the cramps and the aggressive underlying trend. Even language, cognitive processes, vocabulary and physical attitude have already improved significantly. A progress of "becoming aware" of her situation is noted, i.e., the patient is now questioning her life situation and is in a discussion with her mother, which was impossible before. Especially with this patient, it is a pleasure to see how she is improving constantly in all domains. Conducted therapy: photon therapy with application of the following ampoules in the area of the thymus: Brainstem D3 + D30, Hypericum D6 + D200, Hypothalamus D30, Cerebrum comp., Arnica D200.

54-year-old male patient. Strong pain syndrome with severe kyphoscoliosis of the thoracic spine with accompanying cephalgia. For years, the patient has received physical therapy, neural therapy and, every now and then, gymnastics, medication. He is an active athlete. For some months the formation of a reactive depression. Conducted therapy: photon therapy: standard points, eyes, thoracic area. The patient reported after 8-times of treatment of an important reduction of the complaints in his thoracic area complaints and of his reactive depression. He felt decidedly better, and had almost no headaches. Continuation of therapy.

64-year-old woman. Atypical facial pain right side of the face and pulling occipital recurrent pain. Causes are not certain. Draft(breeze) responsiveness. Neurological, orthopedic, otolaryngological and dental consultations NAD. A professional pain therapy brought only slight improvement. Thus, we conducted the photon therapy at the following points: standard points, henceforth corresponding points of pain on the left side of the face. After about 12 treatments, the patient was virtually symptom free. She appreciated this as exceptional success. Unfortunately, six months later there was a relapse of symptoms. New therapy planned.

56-year-old teacher with severe psychosomatic disorders, anxiety states, depressive episodes, and extreme insomnia. Pre-existing medication: Amytryptilin. Here, the patient received a combined treatment with homeopathic remedies and the approved photon therapy, which we conducted twice a week. Location of points: standard points and Shu-Mu point of liver and gallbladder, and both eyes. After 2 months of therapy, the patient reported that she feels "super", so we could let the therapy gradually fade out.

70-year-old woman with chronic pain syndrome in the lumbar spine with severe reproductive alterations. Sciatica on both sides. Other causes of the pain could not be found out. For several years, the patient received various types of pain therapies: injections, medications, infusion therapy, acupuncture, neural therapy - also stationary. The therapeutic success, however, never lasted long. The photon therapy, which we applied to the standard points, the eyes and the area of the lumbar spine, has brought a steady improvement in symptoms. Emotionally, the patient is much stronger and not as emotionally unstable.

67-year-old patient, pensioner, prostate cancer with severe pain in the lumbar spine. Metastases could be excluded with certainty. The treatment of the orthopedist in form of injections, infusions, medicines remained without significant success. The CT-guided periradicular therapy conducted by the radiologist brought no improvement in symptoms. We decided then to apply photon therapy. The patient reported that after the first treatment, "he was in an incredibly good mood and he sang." Another comment: "This treatment should have been made immediately". After only 2 treatments, the patient had no pain during the day. 3 more irradiations brought freedom from pain. The following locations were treated: standard points, lumbar spine locally.

77-year-old woman with cervico-brachialgia and hypoesthesia 2nd finger on the right. She was in neurological-orthopedic treatment, both a CTS (carpal tunnel syndrome), as well as a radicular lesion could not be proved. Moreover, the initiated pain therapy and physical therapy brought no improvement in symptoms. We then applied the photon therapy - to the familiar standard points, and to the cervico-thoracic transition. After only a few units of therapy, the patient experienced a marked improvement, after 12 treatments, the therapy could be concluded. Another indication for photon treatment with the Bionic 880 is smoking cessation. Areas to be addressed: Standard points and both eyes. The following approach has proven itself: photon therapy (in the first week 3 days running, from the 2nd week 2x, e.g., on Mondays + Wednesdays or Tuesdays + Thursdays, in the 3rd week only 1x). At the same time we perform an autologous blood treatment with homeopathic medicines. In addition, patients receive naturopathic and homeopathic remedies orally.

In most cases, we have success through this approach, so that the combined photon therapy with autologous blood treatment can be completed after the 3rd Week. Only the remedies taken orally, patients continue to take a certain time. In many cases in the treatment of many diseases we have extended or replaced the standard points (wrists, ears, neck) to the areas of the upper and lower lids. Theoretical basis is the eye-acupuncture according to Professor J. Peng and his student Prof. Donglai. Here the meridians are also located in the area of the conjunctiva and can be diagnosed on the basis of the blood vessels (color, shape). Treatment is applied above the corresponding lid zone - usually with acupuncture needles.

(See original graphics)

In the treatment with the Bionic 880, the patient closes the eyes. The applicator is then placed directly on the eye, so that the entire area of the upper and lower lid is therapeutically recorded.

Thus it is possible to induce a harmonizing effect on the entire meridian system with this simple method- and hence on all bodily functions.

For some patients, we fixed homeopathic preparations in the ampoules to the skin in the area of the thymus during treatment with the Bionic 880 - to even improve the therapeutic success of photon therapy. Background for this is the probably well-known fact that energetic information is absorbed percutaneously and processed by the body. In many cases this approach increased the therapeutic success significantly.

The list of patients could be continued ad infinitum. Summarizing, I would like to draw the following bottom line: treatment with the Bionic 880 is an adverse reaction free, effective, gentle and fast-acting treatment that can be used at any age and in a great variety of diseases. We were able to document freedom from complaints (prolonged) and / or alleviation in various diseases. It is to be emphasized that an improved mental status was recorded for almost all patients. Quality of life was clearly improved.

I can highly recommend the unit and would no longer want to do without it in my daily work on the patient.

Sincerely,

Dr. med H. Mammes

Dr. med Ingo Woitzel

Subject: Biophoton Therapy

Dear Mr. Buschkühl,

as you know, I have been working with the device Bionic 880 for more than 4 years.

Lyme disease is in the focus of my treatment, which has reached a certain standard in my practice by now.

So far, we have treated Lyme disease / neuroborreliosis successfully.

As you know, I will hold a lecture concerning the use of biophoton and bio-resonance therapy at the congress of bio-resonance therapy in Fulda next year, if I manage to.

So far, I have treated almost 100 patients successfully, who had fallen ill with Lyme disease.

We have also achieved an essential improvement regarding the neuroborreliosis by the biophoton therapy.

The treatment of patients, who previously were treated with antibiotics for an extended period of time, will take somewhat longer.

But even here we have achieved freedom from symptoms for more than 90% of the patients.

Currently, the results are statistically analyzed. It is said on the quiet that the biophoton therapy is more successful than treatment with antibiotics.

Before treatment, we inform the patients about the fact that in traditional medicine, Lyme disease can only be treated with antibiotics, and that they are free to carry out an alternative treatment here.

In the meantime, I have been approached by several doctors and medical practitioners concerning the biophoton therapy and its therapy outcomes. I may tell you briefly that these are Dr. Gabriele Hauenstein from Kassel and a doctor / HP (medical practitioner) Harwitsch from Pforzheim.

I am most grateful for your generous offer to be allowed to use the biophoton device for 1 1/2 years as a loan.

Sincerely,

Dr. med. Indo E. D. Woitzel

Petra B. Henkel-Brauner

Deutsch Evern, 26.01.09

A review

Female patient, 50 years, physical and mental exhaustion, extreme insomnia, night sweats, 8-10 hot flashes during the day, 5 kg weight gain within 6 months, a significant overall hormonal dysfunction.

The treatment was performed during the first 2 weeks every 3 days, in the 3rd until 5 weeks 2x a week.

Frequency of 800Hz, wrists, l / r, both ears, CNS,
+ 5 minutes solar plexus. In addition, one ampoule 'Hypophysis suis Inj.' and one 'Corpus luteum suis Inj.' were fixed on the sternum.

After the 3rd treatment already, the patient is physically and mentally stable again, and full of zest for life. The hot flashes reduced to a manageable level of 1-2x a day and weight loss of 3 kg is reached.

Sincerely,

(signature)

Jörg Hentschel

Hilden, 04.02.1998

Dear Mr. Buschkühl,

Since October 1997 I have used the ACU LIGHT-BEAM-4000 for the treatment of various indications. Light therapy replaces, both in acute as well as chronic diseases, acupuncture, electrical stimulation therapy and bio-resonance.

I have achieved very good results in acute depression, migraine and neurodermatitis. With the ACU-LIGHT-BEAM-4000 I managed several acute allergic diseases such as hay fever and asthma relief initially and was able to continue treatment with other methods.

Hypermobile children become much calmer after a treatment, e.g., a 4-years-old male patient with allergic asthma, hyperactive and aggressive, fell asleep during the basic treatment and became more cooperative from treatment to treatment. In the meantime, we managed to treat his main allergies. Today the boy is much softer and calmer. In smoking cessation, I have a success rate of about 85%, with 4-5 treatments, however, and the simultaneous administration of 22.5 g of vitamin C per infusion. So far I have conducted 16 smoking cessations. In the treatment of depression, the additional treatment of the thymus and liver proved itself as helpful. From my present perspective, I can only say that the ACCU-LIGHT-BEAM-4000 is a most universal and most effective therapy device.

Sincerely,

Jörg Hentschel

Dr. med Beate Knöll

Case report

Dear Mr. Buschkühl,

Thank you for your January letter.

I would like to send you the following case report:

Child 11 years, severe EBV infection with school failure for 6 weeks, male, chronic pain with every movement, chronic fatigue, performance degradation, poor concentration

The EBV-nosodes, KUf series by Stauffen Pharma, were held over the solar plexus, or, in turns, over the point 'Sea of energy' below the navel. The nosode was not irradiated by the Bionic!

The "Woitzel"-scheme was used in a total of 10 treatments.

Additional Therapies

Laser acupuncture and orthomolecular medicine.

It showed a more rapid and effective treatment in combination with the Bionic 880. The treatments are relatively simple to handle and are well tolerated by the patient, because they are painless.

The boy was able to participate at his sport competition again after 10 treatments and won 3 horse- contests in a row.

The boy was treated at a frequency of 2x/week.

It is the son of world champion in foursome horse riding. The mother had no objection to using this, possibly with a picture.

If you do not mind, I can still deliver other very interesting cases in the direction of wound healing in infected wounds, among other things.

With MRSA(infection with Methycillin resistant staphylococcus aureus) after implant-explantation and heavy decubital ulcers and potency disorders.

I treated other children suffering from the EBV(Eppstein-Barr virus) infection, following a different scheme, which was effective, too. I could report on this, too.

Yours sincerely,

Dr. med B. Knöll

Dr. med J. Bachsteffel

Dear Mr. Buschkühl

As you requested in your last info-letter, I send you some case studies for the effectiveness of our biophoton device Bionic 880.

Since we are on a small island to live and work, we have not only the scope of application in dentistry - here, above all, the treatment of chronic inflammation (conservation of important abutment teeth) - but also many other cases in the circle of patients and acquaintances. In dentistry, the results are clearly noticeable, but not particularly worth highlighting in detail. The device is definitely a significant improvement in the treatment of chronic apical processes and in the treatment following periodontal surgery. In many cases, the biophoton therapy allows even the abandonment of surgical measures in favor of conservative PAR (periodontitis)-treatments.

But the following examples are more suitable as individual case studies yet:

1. patient: female, 57 years, appears 30 minutes after "lumbago", with strongest pain and absolute motion blockade. After application of the standard program (5x5 minutes) and 3x5 minutes in the hurting region of the lumbar spine, the pain is completely eliminated, the mobility is completely restored, except a slight soreness there is no consequential loss reported in the further course.

P.S. Since the patient has a long history of illness (about 15 years) with recurrent extreme pain of the lumbar spine, it is the more remarkable that since this unique treatment (3 years ago) no more new attack has occurred.

2. patient: male, 11 years, state after bike accident, severe whiplash, dizziness, headache.

Orthopedic support with immobilization by a plastic collar, but this brings no significant improvement.

11 days after the accident, initial treatment is applied with standard program plus 3 times local application on the neck. Already at the first time the child noticed the effect as "tingling", as if little elves would work in the neck and in the head. Headache and dizziness leave immediately - and after the 3rd treatment, the child is completely asymptomatic.

3. patient: female, 56 years, state after removal of both sides of ovarian cancer (8 hours of surgery due to spread of cancer throughout intestinal region). Current administration of chemotherapy. After initial chemo-therapy loss of all hair and extreme performance degradation.

After the 2nd chemo-therapy start of treatment with the Bionic 880 in conjunction with our Cerebro program (see also www.forschungskreis-cerebro.com), developed by us. Immediate improvement in general health, professional capacity, (self-employment) given without problems, healthy growth of hair in thickness and color. Further chemo-therapies are tolerated without significant problems (slight nausea for a day).

The current status is: 22.2.2009: Completion of the 5th chemo-treatment, a pending biophoton therapy, and Cerebro-treatment carried out, very good general condition, very good mental state, full employment, normal hair growth.

The prognosis appears as very hopeful under these circumstances - coupled with our Cerebro-Program.

As you can see, biophoton treatment covers a wide spectrum and has become indispensable for our hospital. In conjunction with our Cerebro-program another - very important - range of the device is, that the intensity of the two treatments (biophoton-Cerebro) widens immensely when co-administered, far above what each individually can be expected to achieve. Currently, we conduct a detailed documentation on these cases.

If interested, we will be happy to connect with you on a more detailed exchange of experiences.

Yours sincerely, J. Bachsteffel

Dr. Walter A. Tobisch

Good day Mr. Buschkühl

I had a very interesting case before Christmas.

A woman, about 65-70 years old, came to me on Dec. 19. She was supposed to be operated at her back at the beginning of the next year.

Her problem was that she was a smoker and not allowed to smoke in the hospital. So I started my smoking cessation (interview, biophoton therapy, hypnosis) even before Christmas. Already after the 2nd day she was able to watch her neighbor smoking when she came to bum. As it was a special case, we set a lap of honor, and I treated her 4 times.

It was amazing for me that she told me on the fourth day that she had forgotten to take her medication for depression the day before.

The effect on smoking is probably due to the hypnotic work, but the success in the depression may actually only be caused by the Bionic.

I explained this to her and asked her to discuss it with the attending physician.

Unfortunately, I have not received any more information since.

I will keep this in mind, however, because I had very good results in treating a woman with panic attacks, too.

Greetings from Graubünden,

W.A. Tobisch

Article 'after-care of tumor diseases'

EXCERPT:

...

Successful treatment with the Bionic 880 device

Photon therapy in the after-care of tumor diseases

Medical essay written by Harald Krebs, naturopath, Nagold (GE)

There is light in our cells. This fact was found for the first time in 1922 by the Russian physiologist Prof. A. Gurwitsch and was rediscovered in 1975 by German physicists led by Prof. A. Popp and was clearly proved with advanced research methods.

Biophoton irradiation controls biological processes

Accordingly, the cells of all living beings send a very faint light, which is intensified during cell division, in injury or death of a cell and is extinguished in a dead cell. The biophoton irradiation of the living cells, which does not only include the range of visible light, serves them as a kind of radio communication or information transfer. Thereby, biological processes of the organism of plants, animals and humans can be controlled. It is coherent light, which has a high order as does the light from a laser beam and is thus suitable for optimal information transmission. Due to this high degree of order it is therefore in a position to be order building itself and to activate or inhibit bio-chemical processes. In a cancer disease, for example, it comes to a loss of coherence and ability to store light, Tumor tissue radiates differently. Experiments showed that healthy cells are characterized by large light storage capacity, while cancer cells lose storage capacity and coherence and become "chaotic". Therewith the ability to form a community together with other cells is lost. Biophotons from outside may intervene here building order again.

For years we have applied the Bionic 880 successfully in the after-care of tumor diseases and other scopes.

The device causes an immune modulation, acts to regulate the hormonal budget controls and to the harmonization of body, mind and soul. The application of biophotons through the device Bionic 880 takes place in a simultaneous conjunction with a high dosed vitamin C infusion therapy.

We are convinced that an after-care of tumor diseases will be successful if it is implemented by a complex therapy as applied by us. Besides High-dosed-Vitamin-C-Infusion-Therapy (see H. Krebs: "Praxis der Vitamin-C-Hochdosistherapie", M+M-Verlag GmbH, Saarbrücken) we apply the biophoton therapy with the Bionic 880 according to the following scheme below (see table below).

Depending on the laboratory findings, especially tumor markers and, according to evidence of the various imaging techniques, there will be a reduction of the full scope treatment to twice a week initially and, later on, to once a week. After that, further treatment will follow in accordance with the condition of the patient. After a total of 20 treatments with the biophotons there will be a multi-day break of the photon therapy to give the organism the opportunity to relax and to avoid overloading the immune system. ...

Helga Reitz

Dear Mr. Buschkühl,

Enclosed as arranged, a copy of my letter to Dr. Woitzel:

Helga Reitz, Am Weißen Berg 3,61476 Kronberg July 24,2004

"To Dr. Ingo Woitzel Hohenzollernstr.81, 75177 Pforzheim

A toast to naturopathy

Dear Doctor Woitzel,
how many people have I told about the 'miracle cure'! And everyone who knew me before and is experiencing me now, is amazed and finds the term 'miracle' not exaggerated, most of all myself. Filled with the desire that the same may happen to other people and with the feeling of wanting to say thank you, I'll briefly describe my experiences and impressions:

Seriously ill and in pain by a Lyme disease lasting for years, which could not be cured by orthodox medicine, I made my way to you in the end of January this year, down from the railway station up to the northern part of the town, highly tormented. After a few confirmatory tests with a for me totally unknown device in which you take a golden ball in one hand, I learned from you that the treatment will be based on 4 columns and, again, all this information had never been heard by me before:

1. A BIOPHOTON treatment (what is this?)
2. An intestinal remediation with rehabilitation of the intestinal flora plus diet
3. Detoxification (made sense to me after all these many adverse reactions caused by conventional remedies that I had to swallow in the past)
4. mental training (I could not imagine any meaning of this)

But ready for anything and full of hope for soon recovery of my condition, I started the BIOPHOTON treatment, 2 times per week "irradiation" at 8 fixed points of my body. No tangible impact put me in disappointment, but then suddenly, a pleasant feeling went through my legs after the 4th exposure, was this the breakthrough??? You told me that day that I "look better" and thus I became aware, "I feel better". Above all, I had no more pain in the legs at rest. After only 6 irradiations this was already the end of this treatment, which was surprisingly fast for me, as well. But I made a very interesting and pleasant discovery during this period, which can only be related to the BIOPHOTON treatment: I was suddenly able to read the small print without reading glasses after about 15 years, what actually borders on the miraculous. I remembered a saying: "medicine is magical and magical is art".

I hope that this is useful for you and I remain
Yours sincerely,

Helga Reitz

Dr. med C. Strengé

Dear Mr. Buschkühl,

In a telephone conversation you asked me about my work with the "Bionic 880" device.

As I've told over the phone, we are very pleased with the device. Patients notice the positive effect and come back to practice or ask for home visits on their own initiative. In the focus of my therapeutic way, there are three programs:

- 1.) Lifting the lowered energy potential in burn-out patients, after severe infections, with great mental stress, or people exposed to even massive electro-smog
- 2.) Degradation of a mental deformity, expressing itself as "eating craze" in serious obesity, or even, in part, severe alcohol dependence
- 3.) Pain therapy; here it is mostly strain damage in the area of the axial skeleton and the large joints

Among the obese ladies there can often be achieved a weight reduction of up to 6 kg in the course of 1-2 months without self-flagellation. I would like to describe here in this place my last prime example: A 23-year-old male patient from the red light district came to my practice on 10.12.02, held by his mother as he himself was almost disoriented. I was informed by the mother of excessive alcohol abuse of the son, sometimes so called soft drugs are taken in.

10.12.02: Patient M.L. pre-delirious, grey-pale, sweaty, typical very strong shaking, barely responsive. In laboratory findings, gamma-GT and transaminase elevation. The patient was given daily therapy units with the Bionic 880 (Therapy I and IT), except Sundays, until Christmas. Supporting, a so-called liver protective and generally toning therapy was performed.

Even in the period between Christmas and New Year, the Bionic 880 therapy was performed.

At the end of the year the patient looked dazzling, drank no alcohol, and took no drugs. After New Year, I treated the patient up to 8.1.03. The patient was past all recognition.

After that I have not seen the patient again in practice. In passing by, I saw the patient a few days ago, he looked very good, just came from playing football.

Upon request, I was told that the former patient drinks some alcohol now and again.

The parents have left the red light district; therefore "temptation" for the son is no longer as great.

Sincerely,

(signature)

Margarethe Tauch-Striedacher

Holzhäusern, January 26, 2009

Treatment Report (see your letter of January 2009)

My young female patient, N. Pf., born 09.07.88, who was in exam revision, could only badly concentrate on her learning matters and often fell unconscious in stressful situations. Every time, she was brought to hospital by an ambulance for control, which only revealed a slight hypotension by RR 110/70.

Additional internal and neurological examinations revealed no usable findings.

I applied an infusion:

2/week: Circulo, Tonico, Cerebrum comp (Heel),

after a whiplash injury during her exam phase, additionally for 2 weeks: 2 ampoules Traumeel and Lymphomyosot

1/week: 7.5 g Vitamin C (Pascoe)

Additionally, the standard treatment of Bionic 880:

Right and left wrist, right and left ear, neck.

As she came in practice sometimes in the morning, sometimes in the evening during the phase of her exam,

I applied to her during the entire four-week exam phase:

In the morning: 20 minutes No.1, 100% to the crown chakra, as a power-boost, while she was

mentally preparing for the upcoming exam.

After an exam day, when she arrived in the evening:

20 minutes per No.1 each, 100%, while she mentally stimulated the initiation of sleep.

So she could recover well at night, despite the stress.

A whiplash injury, which she suffered in the first week, that is during the basic treatment, which threatened to bring her to a standstill with massive head and neck pain, was no more disturbing after 2 days. Traumeel and local pain treatment with additional 20 min. of shoulder and neck.

The typical pain symptoms of several young patients after brawl or rear-end collisions improved under a similar treatment within a few days.

Meanwhile, the patient has successfully managed new exam marathons without further incidents.

In my own case, the Lyme disease treatment (according to Dr. Woitzel) has had quite a good effect, so that I have become quite operational again. Thank you!!

With warm regards from the still wintery Lake Constance,

Margaret Tauch-Striedacher

Dr. Sonja Biermann

Ladies and Gentlemen,

I send you herewith a brief report, in addition to your questionnaire.

Female patient, E.M., born 1938, suffered for six years from severe neuralgic pain in the right chest, after herpes zoster. Condition after breast carcinoma 4 years ago. For ten years, the patient has been treated for arrhythmia of the heart, and diabetes. Strong painkillers and antidepressant showed minimal effect. In January 2008 the patient was treated with Bionic - Frequency 1, 10 x - and extra point for the liver. After the treatment there was only minimal pain left. She can make all movements by herself and does not need a painkiller.

In fall 2008, there was little aggravation and I repeated the treatment as a series, 2 x per week, a total of 10 x.

The patient is very satisfied, that she does not have to endure the pain any more.

MUDr. University of Kosice S. Biermann

Brigitte Deiters

Female patient with no name

CASE: acute eczema on the left leg, reddened, strong lymph swelling and unbearable itching without obvious cause

Initially the leg was treated daily in addition to the basic program (5 points: hand, hand, ear, ear, neck), also directly with the ALB (AccuLightBeam), but without perceptible and visible success.

Since 2 days we have specifically tested irradiation location and time with the biosensor device, and miracle of miracles, one can watch the success .

Treatment: 25 minutes spleen, 15 minutes gall bladder

For us, an individual testing clearly proved to be advantageous. Location and time of treatment and time are tested with the biosensor before any treatment.

Brigitte Deiters
& team

Martina Hentschel

Düsseldorf, 28.01.1998

Dear Mr. Buschkühl,

Since November, I work with the ACU-LIGHT-BEAM-4000 device. Pain therapy is a focus of my practice. A large part of my pain patients, who could only be treated with acupuncture, so far, have been successfully treated with the ACU-LIGHT-BEAM-4000. So I was able to achieve success in chronic recurrent complaints in the region of the lumbar spine. Pain in the Achilles tendon (previously resistant to therapy) disappeared after 6 treatments, acute lumbago disappeared after only two treatments. Lesions with combustion after application of cold with strong pigmentation in the region of both breasts of a 31-year-old woman were significantly better after 12 treatments. The treatment is still continuing and the skin areas become less remarkable from treatment to treatment.

A refractory superficial ulcer on the right foot of a 67-year-old patient healed after 12 treatments.

The device is very easy to handle and has an excellent effect in many indications. In the short operational period in my practice, I've probably only tested a part of the possible uses of the ACU-LIGHT-BEAM-4000, yet.

Martina Hentschel

Your communication partner / authorized distributor:



Manufacturing & distribution:

H. Buschkühl GmbH Georg-Büchner-Straße 62, 40699 Erkrath,
HR Wuppertal NR. 13118

phone +49 (0)211 253186 fax +49 (0)211 208022
www.biophoton.de E-Mail: info@biophoton.de

